

Resin 6095 Component A

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name Resin 6095 Component A
Product code 712270000
Trade Name 6095 A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Industrial/professional.
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Company Identification Scott AM Limited
Address of Supplier Sutherland Works
Beaufort Road
Longton
Stoke on Trent
Staffordshire
United Kingdom
Postal code ST3 1RH
Telephone: +44 (0) 1782 367 625
Fax -
E-mail info@scott-am.com
Office hours 09:00 - 17:00

1.4 Emergency telephone number

Emergency Phone No. +44 (0) 7908 872524
Contact Matthew Scott

National response centre
Address NHS Direct
Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Repr. 1B: May damage fertility or the unborn child.

2.2 Label elements

Product Name According to Regulation (EC) No. 1272/2008 (CLP)
Resin 6095 Component A

Hazard Pictogram(s)



GHS08

Signal Word(s) Danger

Hazard Statement(s) H360: May damage fertility or the unborn child.
EUH208: Contains: (dibutyltin dilaurate) May produce an allergic reaction.

Resin 6095 Component A

Precautionary Statement(s)	<p>P201: Obtain special instructions before use.</p> <p>P202: Do not handle until all safety precautions have been read and understood.</p> <p>P280: Wear protective gloves/eye protection.</p> <p>P308+P313: IF exposed or concerned: Get medical advice/attention.</p> <p>P405: Store locked up.</p> <p>P501: Dispose of contents in accordance with local, state or national legislation.</p>
----------------------------	--

2.3 Other hazards

Not classified as PBT or vPvB. Endocrine disrupting properties: None known.

2.4 Additional Information

For full text of H/P Statements, see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%	Hazard Statement(s)	Hazard Pictogram(s)
Propylidyntrimethanol, ethoxylated	50586-59-9	500-110-3	> 99%	Not classified	None
dibutyltin dilaurate	77-58-7	201-039-8	< 1%	Skin Sens. 1 H317 Eye Irrit. 2 H319 Muta. 2 H341 Repr. 1B H360 STOT SE 1 H370 STOT RE 1 H372 Aquatic Acute 1 H400	GHS08 GHS07 GHS09

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements, see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is difficult give oxygen.
Skin Contact	IF exposed or concerned: Get medical advice/attention. Wash affected skin with soap and water.
Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Get medical attention if eye irritation develops or persists.
Ingestion	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Rinse mouth with water (do not swallow).

4.2 Most important symptoms and effects, both acute and delayed

Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get medical advice/attention. Treat symptomatically.

Resin 6095 Component A**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media Do not use water jet.

5.2 Special hazards arising from the substance or mixture

May decompose in a fire giving off toxic fumes.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal. Water spray should be used to cool containers. Avoid run off to waterways and sewers.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Ensure suitable personal protection during removal of spillages. When using do not smoke, eat or drink.

6.2 Environmental precautions

Do not discharge into drains or the environment, dispose to an authorised waste collection point.

6.3 Methods and material for containment and cleaning up

Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses. Stop leak if safe to do so. Eliminate sources of ignition. Adsorb spillages onto sand, earth or any suitable adsorbent material. Collect as much as possible in clean container for reuse or disposal. Wash spill site with water and detergent.

6.4 Reference to other sections

See Also: Section 8, 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling**

Avoid inhalation of vapours. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/eye protection. Adequate ventilation must be used. Do not use in areas without adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed, in a cool, well ventilated place. Keep away from direct sunlight.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Industrial/professional.

Resin 6095 Component A

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Tin compounds, organic, except Cyhexatin (ISO), (as Sn)	77-58-7		0.1		0.2	Sk

Region United Kingdom Source UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Sk Notes Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation when using the material and follow the principles of good occupational hygiene to control personal exposures.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374). Breakthrough time of the glove material: refer to the information provided by the gloves' producer. Gloves should be changed if excessive exposure has occurred.



Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Normally no personal respiratory protection is necessary.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Violet.
Odour	Characteristic.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	> 200 °C
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	1200 mPa.s
Solubility	Solubility (Water): Not known. Solubility (Other): Soluble in aromatic hydrocarbons, halogenated solvents and ketones.

Resin 6095 Component A

Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Relative density: 1.05
Relative vapour density	Not known.
Particle characteristics	Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Stable under normal conditions.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Avoid contact with heat and ignition sources.

10.5 Incompatible materials

Polymerisation catalysts, such as peroxy or azo compounds, strong acids, alkalis and oxidising agents.

10.6 Hazardous decomposition products

Thermal decomposition will evolve toxic and irritant vapours.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method: Not classified.
Acute toxicity - Skin Contact	Calculation method: Not classified.
Acute toxicity - Inhalation	Calculation method: Not classified.
Skin corrosion/irritation	Calculation method: Not classified.
Serious eye damage/irritation	Calculation method: Not classified.
Skin sensitization data	Calculation method: Not classified.
Respiratory sensitization data	Calculation method: Not classified.
Germ cell mutagenicity	Calculation method: Not classified.
Carcinogenicity	Calculation method: Not classified.
Reproductive toxicity	Calculation method: May damage fertility or the unborn child.
Lactation	Calculation method: Not classified.
STOT - single exposure	Calculation method: Not classified.
STOT - repeated exposure	Calculation method: Not classified.
Aspiration hazard	Calculation method: Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

	Harmful to aquatic life.
Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.

Resin 6095 Component A

Toxicity - Algae Not known.
Toxicity - Sediment Compartment Not classified.
Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Curing in large quantities or under improper conditions may cause fire. Dispose of without curing and mixing with other materials.

SECTION 14: TRANSPORT INFORMATION

Not classified as hazardous for transport.

14.1 UN number or ID number

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

Resin 6095 Component A

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of Not listed

substances subject to authorisation

REACH: Annex XVII Restrictions on Toxic to reproduction: category 1B (77-58-7)

the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Community Rolling Action Plan Not listed

(CoRAP)

Regulation (EU) N° 2019/1021 of the Not listed

European Parliament and of the

Council on persistent organic

pollutants

Regulation (EC) N° 1005/2009 on Not listed

substances that deplete the ozone

layer

Regulation (EU) N° 649/2012 of the Not listed

European Parliament and of the

Council concerning the export and

import of hazardous chemicals

National regulations

WGK Number

WGK Class 2 (Official).

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

Section 15.1 - Added the WGK Classification

LEGEND

Hazard Pictogram(s)



GHS08

GHS07: GHS: Exclamation mark

GHS09: GHS: Environment

Hazard classification

Skin Sens. 1 : Skin sensitization, Category 1

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

Muta. 2 : Germ cell mutagenicity, Category 2

Repr. 1B : Reproductive toxicity, Category 1B

STOT SE 1 : Specific target organ toxicity — single exposure, Category 1

STOT RE 1 : Specific target organ toxicity — repeated exposure, Category 1

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Hazard Statement(s)

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Resin 6095 Component A

H341: Suspected of causing genetic defects.
H360: May damage fertility or the unborn child.
H370: Causes damage to organs.
H372: Causes damage to organs through prolonged or repeated exposure.
H400: Very toxic to aquatic life.

Precautionary Statement(s)

P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P280: Wear protective gloves/eye protection.
P308+P313: IF exposed or concerned: Get medical advice/attention.
P405: Store locked up.
P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.